

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6615756"	USPAT	OR	OFF	2005/04/21 16:12
S2	1	"6615756".pn.	USPAT	OR	OFF	2005/05/12 15:16
S3	0	"2003007966"	USPAT	OR	OFF	2005/04/21 16:13
S4	0	"20030079666"	USPAT	OR	OFF	2005/04/21 16:13
S5	1	"20030079666"	US-PGPUB; USPAT	OR	OFF	2005/04/21 16:13
S6	255	112/470.01.ccls. or 112/470.03.ccls.	USPAT	OR	OFF	2005/04/21 16:47
S7	312	112/272.ccls. or 112/273.ccls.	USPAT	OR	OFF	2005/04/21 16:47
S8	439	112/303.ccls. or 112/315.ccls.	USPAT	OR	OFF	2005/04/21 16:47
S9	65	112/475.02.ccls.	USPAT	OR	OFF	2005/04/21 16:47
S10	186	700/136.ccls. or 700/138.ccls.	USPAT	OR	OFF	2005/04/21 16:48
S11	428	(stitch with length) and (sensor or detector)	USPAT	OR	OFF	2005/05/16 13:33
S12	50	S6 and S11	USPAT	OR	OFF	2005/04/21 16:48
S13	38	S7 and S11	USPAT	OR	OFF	2005/04/21 16:56
S14	32	S8 and S11	USPAT	OR	OFF	2005/04/21 16:58
S15	21	S9 and S11	USPAT	OR	OFF	2005/04/21 17:03
S16	13	S10 and S11	USPAT	OR	OFF	2005/04/21 17:04
S17	18	("3190247" "3312184" "4192241" "4557206" "4944105" "5027726" "5103747" "5136955" "5167195" "5182998" "5711098" "5870840" "5913275" "6079341" "6123038" "6151816").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:31
S18	584649	sensor\$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:32
S19	1	S17 and S18	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:32
S20	1184162	sensor\$ or detect or detects or detector or detectors	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:32
S21	1	S17 and S20	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:34
S22	901	"shaft encorder" or "shaft encoders"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:34
S23	4280	"shaft encoder" or "shaft encoders"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:34

S24	255	112/470.01.ccls. or 112/470.03.ccls.	USPAT	OR	OFF	2005/04/22 09:34
S25	4	S23 and S24	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:37
S26	312	112/272.ccls. or 112/273.ccls.	USPAT	OR	OFF	2005/04/22 09:35
S27	2	S23 and S26	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:35
S28	439	112/303.ccls. or 112/315.ccls.	USPAT	OR	OFF	2005/04/22 09:35
S29	0	S23 and S28	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:35
S30	65	112/475.02.ccls.	USPAT	OR	OFF	2005/04/22 09:35
S31	1	S23 and S30	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:35
S32	186	700/136.ccls. or 700/138.ccls.	USPAT	OR	OFF	2005/04/22 09:35
S33	0	S23 and S32	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:35
S34	5020	stitch with length	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:37
S35	0	S27 and S34	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:38
S36	0	S31 and S34	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:38
S37	0	S25 and S34	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:38
S38	56	sensor with srm	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:38
S39	17070	sensor with arm	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:38
S40	428	(stitch with length) and (sensor or detector)	USPAT	OR	OFF	2005/04/22 09:38
S41	50	S24 and S40	USPAT	OR	OFF	2005/04/22 09:38
S42	5	S41 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:39
S43	38	S26 and S40	USPAT	OR	OFF	2005/04/22 09:39

S44	7	S43 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:45
S45	32	S28 and S40	USPAT	OR	OFF	2005/04/22 09:39
S46	7	S45 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:47
S47	21	S30 and S40	USPAT	OR	OFF	2005/04/22 09:39
S48	2	S47 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:49
S49	13	S32 and S40	USPAT	OR	OFF	2005/04/22 09:39
S50	0	S49 and S39	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:39
S51	1	"20030079666"	US-PGPUB; USPAT	OR	OFF	2005/05/12 15:17
S52	11234	(position with sensor) and (sensor with arm)	USPAT	OR	ON	2005/05/12 15:18
S53	31689	"112"/\$.ccls.	USPAT	OR	ON	2005/05/12 15:18
S54	140	S52 and S53	USPAT	OR	ON	2005/05/12 15:37
S55	559	700/130-141.ccls.	USPAT	OR	ON	2005/05/12 15:18
S56	8	S52 and S55	USPAT	OR	ON	2005/05/12 15:18
S57	0	"google.as"	US-PGPUB; USPAT	OR	ON	2005/05/12 15:37
S58	18	google.as.	US-PGPUB; USPAT	OR	ON	2005/05/12 15:37
S59	429	(stitch with length) and (sensor or detector)	USPAT	OR	OFF	2005/05/12 15:45
S60	559	700/130-141.ccls.	USPAT	OR	ON	2005/05/12 15:45
S61	19	S59 and S60	USPAT	OR	OFF	2005/05/12 15:48
S62	45157	sensor same frequency	USPAT	OR	OFF	2005/05/12 15:48
S63	31689	"112"/\$.ccls.	USPAT	OR	OFF	2005/05/12 15:48
S64	49	S62 and S63	USPAT	OR	OFF	2005/05/12 15:48
S67	216	stitch with (regulating or regulate or regulator)	USPAT	OR	OFF	2005/05/12 16:36
S68	31689	"112"/\$.ccls.	USPAT	OR	OFF	2005/05/12 16:35
S69	176	S67 and S68	USPAT	OR	OFF	2005/05/12 16:35
S70	559	700/130-141.ccls.	USPAT	OR	OFF	2005/05/12 16:35
S71	1	S67 and S70	USPAT	OR	OFF	2005/05/12 16:35
S72	11	stitch with (regulating or regulate or regulator) same sensor	USPAT	OR	OFF	2005/05/12 16:41
S73	11162	shaft with encoder\$	USPAT	OR	OFF	2005/05/12 16:41

S74	107033	position with sensor	USPAT	OR	OFF	2005/05/12 16:41
S75	3726	S73 and S74	USPAT	OR	OFF	2005/05/12 16:41
S76	615	S73 with S74	USPAT	OR	OFF	2005/05/12 16:41
S77	735	position with sensor\$ with shaft with encoder\$	USPAT	OR	OFF	2005/05/12 16:42
S78	15	S68 and S77	USPAT	OR	OFF	2005/05/12 16:42
S79	31	("1947058" "3013513" "3641954" "4013026" "4043282" "4067269" "4141304" "4290376" "4498404" "4691651" "4703706" "4742789" "4776579" "4794873" "4813364" "4821656" "4825787" "4827856" "4838186" "4905615" "4958579" "4998965" "5282433" "5289788" "5341755" "5367968" "5529004" "5560308" "5586511").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:47
S80	45559	position adj sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:48
S81	218	S68 and S80	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:48
S82	0	(position adj sensor) and stitch adj length	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:49
S83	41	(position adj sensor) and stitch adj length	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:54
S84	1	(position adj sensor) and stitch adj length same pivot	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:52
S85	1	(position adj sensor) and stitch adj length same pivot	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/12 16:52
S86	1	(position adj sensor) and (stitch adj length) same pivot	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:39
S87	10	(position adj sensor) and stitch adj length and pivotally	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:48
S88	41	(position adj sensor) and (stitch adj length)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:39
S89	26	"stitch length regulator"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:40

S90	2	("3701165" "5107780").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:47
S91	1551	stitch adj length	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:48
S92	196	(stitch adj length) and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:48
S93	56584	"112"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:48
S94	161	S92 and S93	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 09:48
S95	22	("20020124781" "20030131773" "3609373" "3799084" "4565140" "4619214" "4658741" "4742789" "4757773" "4982677" "5020460" "5168822" "5170733" "5215020" "5271345" "5370072" "5664508" "5687660" "6263815" "6401641" "6450110" "6470813").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:49
S96	1060	sensor with ohms	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:50
S97	1028	optoisolator	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:50
S98	428	optoisolator and sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:50
S99	49	optoisolator with sensor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:52
S10 0	11	(optoisolator with sensor) and motion	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:55
S10 1	1	(optoisolator with sensor) and stitch	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:56
S10 2	5536	sensor and speed and ohms	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:57
S10 3	116	sensor same speed same ohms	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/13 10:57
S10 4	59	sensor same speed same ohms	USPAT	OR	OFF	2005/05/13 11:54

S10 5	73114	"73"/\$.ccor.	USPAT	OR	OFF	2005/05/13 11:54
S10 6	51371	speed with sensor	USPAT	OR	OFF	2005/05/13 11:54
S10 7	2444	S105 and S106	USPAT	OR	OFF	2005/05/13 11:55
S10 8	20	S106 same ohms	USPAT	OR	OFF	2005/05/13 11:57
S10 9	0	S106 same resistancew	USPAT	OR	OFF	2005/05/13 11:57
S11 0	1409	S106 same resistance	USPAT	OR	OFF	2005/05/13 11:58
S11 1	117	S105 and S110	USPAT	OR	OFF	2005/05/13 11:58
S11 2	4749	73/488-551.ccor.	USPAT	OR	OFF	2005/05/13 11:58
S11 3	9	S110 and S112	USPAT	OR	OFF	2005/05/13 12:51
S11 4	11447	sensor with spring	USPAT	OR	OFF	2005/05/13 14:29
S11 5	1	"4495877".pn.	USPAT	OR		2005/05/13 13:01
S11 6	31689	"112"/\$.ccls.	USPAT	OR	OFF	2005/05/13 14:29
S11 7	11447	sensor with spring	USPAT	OR	OFF	2005/05/13 14:29
S11 8	11447	S117	USPAT	OR	OFF	2005/05/13 14:29
S11 9	63	S116 and S118	USPAT	OR	OFF	2005/05/13 14:29
S12 0	20552	(sensor\$ or detector or detectors) with spring	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 10:22
S12 1	56584	"112"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 09:32
S12 2	117	S120 and S121	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 09:32
S12 3	92	S120 and S121	USPAT	OR	OFF	2005/05/16 09:33
S12 4	34145	(sensor\$ or detector or detectors) with coil	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 10:22
S12 5	56584	"112"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 10:22

S12 6	56	S124 and S125	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 10:23
S12 7	46	S124 and S125	USPAT	OR	OFF	2005/05/16 10:23
S12 8	4295	"shaft encoder" or "shaft encoders"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 13:32
S12 9	313	112/272.ccls. or 112/273.ccls.	USPAT	OR	OFF	2005/05/16 13:32
S13 0	2	S128 and S129	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 13:32
S13 1	309	(stitch with length) and (sensor or detector) and "112"/\$.ccls.	USPAT	OR	OFF	2005/05/16 13:34
S13 2	47	(stitch with length) with (sensor or detector) and "112"/\$.ccls.	USPAT	OR	OFF	2005/05/16 13:35
S13 3	32	(stitch adj length) with (sensor or detector) and "112"/\$.ccls.	USPAT	OR	OFF	2005/05/16 13:35
S13 4	2	("4534304").URPN.	USPAT	OR	OFF	2005/05/16 14:01